



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration  
10903 New Hampshire Avenue  
Document Control Center – WO66-G609  
Silver Spring, MD 20993-0002

April 12, 2013

Mr. S. N. Hari  
Deputy General Manager  
Industrial Clothings, Limited  
D-17, Seethawaka Export Processing Zone  
Avissawella Western Province  
Sri Lanka 10700

Re: K122464  
Trade/Device Name: Midas Touch™ Nitrile Examination Gloves- Powder-Free, Orange  
Regulation Number: 21 CFR 880.6250  
Regulation Name: Patient Examination Glove  
Regulatory Class: I  
Product Code: LZA  
Dated: March 22, 2013  
Received: April 1, 2013

Dear Mr. Hari:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you; however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,

For  


Anthony D. Watson, B.S., M.S., M.B.A.  
Director  
Division of Anesthesiology, General Hospital,  
Respiratory, Infection Control and  
Dental Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure



## Industrial Clothings Limited (Prime Polymers Division)

*510(k) Submission for Orange Nitrile Examination Gloves – Powder free*

---

### INDICATIONS FOR USE

Applicant : Industrial Clothings Ltd., Prime Polymers Division

510(k) number (if known) : K122464

Device name : Midas Touch™ - Nitrile Examination Gloves – Powder free, Orange

Indications for use : A powder-free examination glove is a disposable device intended for medical purposes, that is worn on the examiner's hand or finger to prevent contamination between patient and examiner. Gloves are available with finger textured surface in four sizes; Small, Medium, Large and X-large.

Prescription Use \_\_\_\_\_  
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use ✓  
(21 CFR 801 Subpart C)

---

Concurrence of CDRH, Office of Device Evaluation (ODE)

Maria Cruz-  
fisher

Digitally signed by Maria Cruz-fisher  
DN: c=US, o=U.S. Government, ou=HHS,  
ou=FDA, ou=People, cn=Maria Cruz-fisher,  
0.9.2342.19200300.100.1.1=2000576169  
Date: 2013.04.11 16:56:12 -04'00'

**(Division Sign-Off)**

**Division of Anesthesiology, General Hospital  
Infection Control, Dental Devices**

510(k) Number: K122464